

ADVANCED TECHNIQUES OF
DR. CLARK'S PROTOCOLS

ILLUSTRATIVE BOOKLET
HOMEOPATHY

First edition September 2014
© 2014 Dr. Clark Information Center
© English edition: Dr. Clark Information Center
© Italian edition: Dr. Clark Information Center
Photographs: Alessia Adresti

All rights reserved. Under the sanctions established in the laws, it is strictly prohibited, without written authorization from the copyright holders, to completely or partially reproduce this booklet by any means or procedure, including the reprography and the computer layout, as well as the distribution of copies for rent or public loan.

HOMEOGRAPHY



CONTENTS FOR HOMEOGRAPHY

1 – What is homeography	5
2 – What you need for homeography	6
3 – How to make a homeopathic drop	7
4 – Homeopathic drops	10
5 – Drops of kidneys and lymph set	11
6 – Take-out-drops	15
7 - Dosage	25
8 – Other drops	26
9 – Drops – cancer set	27
10 – Drops of blood	28
11 – Important drops	28
12 – Other methods	29
13 – Benefits	30
14 - Disadvantages	30
15 – Detailed Summary	31
16 – Reminders	32
17 – FAQs	33

WHAT IS HOMEOGRAPHY

Homeography copies a frequency pattern in water.

Dr. Clark stated that water has a great capacity to store frequencies in a very stable way (for years) without the copy weakening or getting mixed. One or more frequency pattern can be stored in this way.

Frequency patterns can be copied into water from bottlecopies or slides of organs, parasites, pathogens, medicines or a lot more.

This is done from an original substance or from a copy of it.

Homeographic copies can be used as:

- Samples to be used to test with the Syncrometer
- Bottlecopies to use with the plate-zapper
- Drops to be taken in conjunction with Dr. Clark's protocols

3 different types of homeographic drops can be taken:

1. ORGAN DROPS to mobilize its white blood cells, strengthen and clean it out. There is some indication this will assist in correcting the frequency pattern of sick or aging organs.
2. TAKE-OUT DROPS to remove harmful substances from the organ such as heavy metals, dyes and wheelbearing grease mentioned in Dr. Clark's books.
3. IMMUNE WEAPONS to supply missing substances to the body.

WHAT YOU NEED FOR HOMEOGRAPHY

Zapper



Alligator clip to connect to the zapper's positive (red) wire



The plate on the plate-zapper with the groove

Bottlecopy with dropper



Picofahad and Microhenry

Aluminum cylinders to cover the



bottlecopies

HOW TO MAKE A HOMEOGRAPHIC COPY

Take the plate of the plate-zapper with the groove and attach the alligator clip to it which is connected to the positive (red) wire of the zapper.



Fill the blank bottle with clean* water

** what is contained in the water will get copied*



“Master” bottle and blank bottle “with only clean water” must touch. Turn the zapper on and zap for 20 seconds. The bottlecopy has been made.



You can also make a copy from a slide in this way. The slide and the blank bottle with only water must touch. Zap for 20 seconds.



For a stronger effect to contain the frequency pattern, cover the bottles with an aluminum cylinder. The aluminum cylinders must touch. Same procedure as above, zap for 20 seconds.



Write and stick the label on your new copy. In this case, we have just made a frequency pattern copy of the spleen.

HOMEOPATHIC COPIES CAN BE USED TO TEST WITH THE
SYNCHROMETER OR TO WORK WITH THE PLATE-ZAPPER

HOMEOPATHIC DROPS

Homeopathic drops are done in the same ways as the copies.

To summarize:

- Small brown glass or polyethylene plastic bottle with 2-3 teaspoons clean or self-distilled water. Put the master copy touching the blank water bottle on the right plate.
- Do not use rubber bands or tape to hold them together while copying
- Cover each bottle with the aluminum cylinders
- Positive (red) wire of zapper is attached to this plate with an alligator clip
- Turn zapper on and zap for 20 seconds
- Do not touch bottles while zapping
- Turn zapper off before touching bottles
- Stick label on new-made bottle

TAKING HOMEOGRAPHIC DROPS WHILE PLATE-ZAPPING MAXIMIZES THE EFFECT ON A SYSTEMIC LEVEL AND AT THE ORGAN.

The first drops that Dr. Clark would have her patients take are called “KIDNEY AND LYMPH DROPS”. They are drops made from 5 bottlecopies:


- Left kidney
- White blood cells of left kidney
- Right kidney
- White blood cells of right kidney
- lymph

KIDNEY AND LYMPH SET

To make a copy of the right kidney, take a master bottle “kidney” with a pF (picofarad) or use a master bottle “right kidney” without using a pF (picofarad). CAUTION – the photo below is done to show the mistake of using both a pF and right kidney bottle at the same time. A pF should only be used with a master kidney bottle to produce a right kidney copy just as a uH should only be used with a master kidney bottle to produce a left kidney copy. The photos on pages 11 and 12 are done only to show your options and the bottles are not covered with the aluminum cylinders for the same reason. The two bottles touch with bottle “kidney” on the right and blank bottle with clean water on the left. Zap 20 seconds.



To make a copy of the left kidney, take a master bottle “kidney” with a uH (microhenry) or use a master bottle “left kidney” without using a uH (microhenry). CAUTION – the photo below is done to show the mistake of using both a uH and left kidney bottle at the same time. A uH should only be used with a master kidney bottle to produce a left kidney copy. The photo below is done only to show your options and the bottles are not covered with the aluminum cylinders for the same reason. The two bottles touch with bottle “kidney” on the right and blank bottle with clean water on the left. Zap 20 seconds.



To make copy of “right kidney white blood cells”, the bottle “WBC” on the right touches the bottle “right kidney”, which is in the middle, and in turn touches the blank bottle. Zap 20 seconds.



To make copy of “left kidney white blood cells”, the bottle “WBC” on the right touches the bottle “left kidney”, which is in the middle, and in turn touches the blank bottle. Zap 20 seconds.



Master bottle “lymph” on the right touches the blank bottle with clean water on the left. Zap for 20 seconds.



TAKE-OUT DROPS

With homeography, in addition to taking organ drops for energizing and giving the correct polarization and frequency pattern to the organ, it is also possible to remove undesirable substances. The first substances that Dr. Clark

would have her patients remove are:

- heavy metals from the kidney and lymph set (5 bottlecopies)
- wheelbearing grease from the kidney and lymph set (5 bottlecopies)
- dyes from the kidney and lymph set (5 bottlecopies)

Following is how you make take-out drops:

HEAVY METALS FROM THE KIDNEY AND LYMPH SET (5 bottlecopies)

The blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case heavy metals, is on the left and the organ, in this case the left kidney, is on the right. The bottles must touch. Zap 20 seconds. The new bottlecopy will be: take-out heavy metals at left kidney.




Same as on page 15. The blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case heavy metals, is on the left and the organ, in this case the right kidney, is on the


right. The bottles must touch. Zap 20 seconds. The new bottlecopy will be: take-out heavy metals at right kidney.



Same as on page 16, but in addition, put the master bottle “white blood cells” to the right of the organ. All bottles must touch. Zap 20 seconds. The new bottlecopy is: Take-out heavy metals at right kidney’s WBCs.



Same as above, but in addition, put the master bottle “white blood cells” to the right of the organ. All bottles must touch. Zap 20 seconds. The new bottlecopy is: Take-out heavy metals at left kidney’s WBCs.



The blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case heavy metals, is on the left and the organ, in this case the lymph, is on the right. The bottles must touch.

Zap 20 seconds. The new bottlecopy will be: take-out heavy metals at lymph.



WHEELBEARING GREASE FROM KIDNEYS AND LYMPH (5 bottlecopies)

Below the blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case wheelbearing grease, is on the left and the organ, in this case the left kidney, is on the right. The bottles must touch. Zap 20 seconds. The new bottlecopy will be: take-out wheelbearing grease at left kidney.



On the picture on the next page, the blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case wheelbearing grease, is on the left and the organ, in this case the right kidney, is on the right. The bottles must touch. Zap 20 seconds. The new bottlecopy will be: take-out wheelbearing grease at kidney.



Same as picture above, but in addition, put the master bottle “white blood cells” to the right of the organ. All bottles must touch. Zap 20 seconds. The new bottlecopy is: Take-out wheelbearing grease at right kidney’s WBCs.



Same as previous page, but in addition, put the master bottle “white blood cells” to the right of the organ. All bottles must touch. Zap 20 seconds. The new bottlecopy is: Take-out wheelbearing grease at left kidney’s WBCs.



The blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case wheelbearing grease, is on the left and the organ, in this case the lymph, is on the right. The bottles must touch. Zap 20 seconds. The new bottlecopy will be: take-out wheelbearing grease at lymph.



DYES FROM KIDNEYS AND LYMPH (5 bottles)

The blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case dyes, is on the left and the organ, in this case the right kidney, is on the right. The bottles must touch. Zap 20 seconds. The new bottlecopy will be: take-out dyes at right kidney.



The blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case dyes, is on the left and the organ, in this case the left kidney, is on the right. The bottles must touch. Zap 20 seconds. The new bottlecopy will be: take-out dyes at left kidney.



Same as previous page, but in addition, put the master bottle “white blood cells” to the right of the organ. All bottles must touch. Zap 20 seconds. The new bottlecopy is: Take-out dyes at left kidney’s WBCs.



Same as above, but in addition, put the master bottle “white blood cells” to the right of the organ. All bottles must touch. Zap 20 seconds. The new bottlecopy is: Take-out dyes at right kidney’s WBCs.



The blank bottle, where the frequency information will be copied into, is in the middle. The substance to remove, in this case dyes, is on the left and the organ, in this case the lymph, is on the right. The bottles must touch. Zap 20 seconds. The new bottlecopy will be: take-out dyes at lymph.



DOSAGE

Start with **ORGAN DROPS**:

- 6 drops, 6 times a day for 2 days
- 6 drops, 3 times a day for the next 2 days
- Continue with 6 drops once a day

While on the third day of the organ drops (6 drops, 3 times a day) start with the **TAKE-OUT DROPS**:

- 6 drops, 6 times a day for 2 days
- 6 drops, 3 times a day for the next 2 days
- Stop

In case of emergency, one can continue with 6 drops once a day for 2 weeks and if necessary restart the procedure above taking them even every hour the first day.

REMINDER:

- Always take the kidney and lymph set first.
- Always take the recommended supplements to feed your WBCs while working with platezapping as well as with homeography.

TAKE HOMEOPATHIC DROPS OF AN ORGAN WHILE PLATE-ZAPPING IT... TO MAXIMIZE THE EFFECT

OTHER DROPS

Other drops that you can create in the same way as the previous illustrations are:

- Take-out drops PLASTIC and RUBBER at kidney and lymph set
- Take-out drops GOLD and NICKEL at kidney and lymph set
- Take-out drops HEAVY METALS from any organ
- Take-out drops DYES from any organ
- Take-out drops WHEELBEARING GREASE from any organ
- Take-out drops MOTOR OIL from any organ
- Take-out drops PLASTIC and RUBBER from any organ
- Take-out drops GOLD and NICKEL from any organ

DROPS – CANCER SET

The “cancer set” homeopathic drops can be used for any degenerative or chronic illness:

- PYRUVIC ALDEHYDE (to correct the imbalance of thiourea and stop the excessive cellular division)
- QUINONE SET (benzoquinone, glycoxilic acid, glycoxal, rhodizonic acid) (remove mega-parasites)
- MALARIA SET (malaria one, no. quinidine, no. plaquinil, no nepron, no quinacride)
- KIDNEY AND LYMPH SET (left kidney, right kidney, left kidney-WBCs, right kidney-WBCs, lymph)
- ORGAN WITH TUMOR and organs involved (this is individual)
- HYPOTHALAMUS left and right (to avoid detox symptoms)
- RHODANESE ENZYME (to remove mutations of the cancer complex)
- Take-out drops HEAVY METALS from kidneys and lymph set
- Take-out drops DYES from kidneys and lymph set
- Take-out drops WHEELBEARING GREASE from kidneys and lymph set
- Take-out drops MOTOR OIL from kidneys and lymph set
- Take-out drops PLASTIC and RUBBER from kidneys and lymph set
- Take-out drops GOLD AND NICKEL from kidneys and lymph set
- Take-out drops HEAVY METALS from organ with tumor and organs involved
- Take-out drops DYES from organ with tumor and organs involved
- Take-out drops WHEELBEARING GREASE from organ with tumor and organs involved
- Take-out drops MOTOR OIL from organ with tumor and organs involved
- Take-out drops PLASTIC and RUBBER from organ with tumor and organs involved
- Take-out drops GOLD and NICKEL from organ with tumor and organs involved
- HEMATOXLIN (removes lathanides like cerium)
- HYDRAZINE SULFATE (to increase appetite)

BLOOD DROPS

- To make copy of red blood cells: bottle WBCs + 1 uH (microhenry)
- To make copy of platelets : bottle WBCs + 2 uH (microhenry)
- To make copy of megakaryocytes. WBC + 4 pF (picofarad)
- If alkaline phosphatase is too high, make take-out drops of DAB out-of WBC.
- If alkaline phosphatase is too low, make take-out drops of COBALT out-of WBC.
- If LDH is too high, make take-out drops of Sudan Black out-of RBC
- If LDH is too low, make take-out drops of Cobalt out-of RBC
- If globulin is too high or too low, make take-out drops of wheelbearing grease, heavy metals and dyes out-of CD37

IMPORTANT DROPS

- Make drops of methyl malonate-out-of-kidney set to rescue kidneys from failure.
- To normalize the bilirubin, make take-out drops of copper, cobalt, nichel and heavy metals mix from all parts of the liver, after two days take take-out drops of aflatoxin and after two more days take-out drops of bilirubin from all parts of liver for 4 days. This is done while taking the take-out drops out of kidneys and lymph discussed before.
- Make drops for all organs with any problem, like liver for jaundice (make the whole set), bone marrow for leukemia, adrenals for high blood pressure, lungs, digestive tract etc.

OTHER METHODS

If you do not have a master copy to copy from but the frequency is known and you have a frequency generator, you can connect it to the plate-zapper with the alligator clip and insert the frequency with sine or square wave for 20 seconds.

It is also possible to make a copy of something you have on the skin for example a lump. You do this by covering the lump with some clean paper towel that you wet with clean water and leave on the lump for about 10 minutes. You then copy its frequency pattern into a bottlecopy. This will then be used for testing with the Syncrometer (to see what it contains) or for plate-zapping, CAUTION this is for testing and determination and MUST NOT be taken as a homeographic drop.

BENEFITS

- Homeography can remove undesired substances, restore an organ's frequency pattern or substitute for missing substances in the organ
- Can partly replace supplements
- This treatment is completely non-invasive

DISADVANTAGES

- You cannot remove from the body what you are still putting in. It is important to find and remove the source of metals, dyes, wheelbearing grease and other. Homeography is meant for small quantities and is not used to clear out big locations such as blood, bones or the skin.
- Homeography is used for one organ or parts of it and not for the entire body.
- One must wait one minute between taking drops from each bottle. Therefore depending on how many bottle drops that one must take, it can be very time consuming.

DETAILED SUMMARY

- Homeography is a new science where frequency patterns are stored in water and used as test samples (for example with the Syncrometer), with the plate-zapper (to clean out an organ and give it its correct frequency pattern) or taken as drops..
- Homeographic drops can be taken in order to strengthen an organ (organ therapy and give it its correct frequency pattern). One can also copy substances that are missing in the body, even medicine, but make sure these are clean (the potency of a medicine copied in water is about one fourth of the original).
- Undesired substances can be removed from an organ such as heavy metals, dyes, etc.
- If possible work with copies and not with master copies keeping in mind that frequencies can be transferred from one bottle to the other if they touch while being zapped, therefore it is better to work with copies only.
- Two bottles that touch during the homeographic process share their frequencies, therefore it is possible to selectively send substances such as a “to” location or to an organ simply by touching their bottles while they are being copied into the blank bottle. This principle is valid also for selectively copying medicine or a necessary substance (ex.: benzoquinone) into an organ.
- Several separate bottles can be copied into a blank bottle using always the same blank bottle into which they are being copied.
- Taking homeographic drops of an organ while plate-zapping it, has an exceptionally strong effect
- Always take the kidneys and lymph as first set.
- Always take the recommended supplements to feed your white blood cells while taking homeographic drops or while plate-zapping.

REMINDERS

- Use only clean water. Making a homeographic copy means copying also the water and therefore if the water contains for example bleach or metals, you will be copying also these.
- Do the dentalwork and find a source of clean water and food before taking the take-out drops. You cannot take out of the body what you still are putting in.
- A magnetic field will destroy the drops. Keep all drops and copies at least 6 inches away from cell phones and other magnetic sources.
- Do not take homeographic drops at night
- Keep bottles out of direct sunlight
- Do not make drops of the tumor itself
- Never take drops of a parasite or a virus or anything that is harmful: this would strengthen the invaders!
- Do not switch bottle caps or nozzles. One drop of a different frequency is sufficient to destroy a new bottlecopy of homeographic drops
- New drops must not touch old drops in your mouth. Wait 1 minute between taking drops from each bottle.
- Do not carry the bottlecopies in your pocket
- Do not eat or drink 5 minutes before and after taking the homeographic drops.

NEVER MAKE DROPS OF THE TUMOR ITSELF

FAQs

WHAT SHOULD I DO IF I MADE A MISTAKE COPYING?

Rinse the bottle out 3 times with clean water and start again.

TO MAKE AN HOMEOGRAPHIC COPY, DO I HAVE TO ZAP IT FOR 20 SECONDS PRECISELY?

You can also zap it a couple of seconds more but not less.

WHY MUST ONE TAKE THE HOMEOGRAPHIC DROPS ONLY BY DAY?

Because zapping gives a north polarization to the homeographic bottlecopy and a healthy body has a north polarization by day which switches to south at night.

IS IT POSSIBLE TO MAKE A TAKE-OUT DROP, FOR EXAMPLE HEAVY METALS, FROM THE WHOLE BODY?

No, homeography is meant for small quantities and it is not possible to remove undesired substances from extensive organs and tissues such as the skin, the bones or the blood.

WHY IS IT NECESSARY TO TAKE THE SUPPLEMENTS FOR OUR WHITE BLOOD CELLS AFTER THE HOMEOGRAPHIC DROPS?

Rose hip, hydrangea and selenium taken together, are the three supplements that feed our white blood cells in order to make them functional so that they can kill again and bring the toxins and undesired substances to the bladder for expulsion.

WHY MUST ONE USE THE ALUMINUM CYLINDERS TO COVER THE BOTTLES WHILE THEY ARE BEING COPIED?

As a protection and to better contain the frequencies that are being copied

CAN I REMOVE PARASITES, BACTERIA OR A VIRUS FROM AN ORGAN?

It is wiser not to do this, because if you make a mistake while making its take-out drop and you copy only the pathogen, you will strengthen it. Further if you are feeding the involved pathogen and your white blood cells are disabled, the involved pathogen will return in a few minutes because it will constantly reproduce itself in neighbouring organs.